



ALIA AZARIAH

Director of Aftercare
Alia @SafeHouseProject.org



KATHLEEN ARNOLD

Senior Director of Programs Kathleen@SafeHouseProject.org

Overview

- Understanding Trafficking
- Case Studies
- Trauma, Trafficking, & PTSD
- Trauma-Informed Approach
- Restorative Care
- Post Traumatic Growth

Training Objectives

- Articulate the differing forms of trafficking.
- Identify trafficking victims in their particular areas of services.
- Understand the nuanced differences between trafficking and overlapping crimes
- Meet trafficking survivors with appropriate care and resources regardless of the stage of change the survivor is in at the time

EDUCA



Increasing victim identification through education and training opportunities for healthcare workers, law enforcement, educators, employees, and community members. To date, we have trained over 200k individuals.

Supporting Survivors

Providing emergency transportation, basic necessities, and safe house placement to survivors exiting a trafficking situation. Hiring survivors to live into their career goals through a trauma-informed work environment. In 2021, we supported 207 survivors in different areas of their journey.

Restoring Lives

Elevating the national standard of aftercare through Safe House Project Certification. Investing in new or expanding safe house programs through mentorship and funding. Innovating to address the deepest needs and biggest gaps in survivor care. In addition to launching Safe House Certifications, our funding allowed for an additional 272 new beds to be added to the national landscape last year.

HUMAN TRAFFICKING



HUMAN TRAFFICKING

"TRAFFICKING IN PERSONS," "HUMAN TRAFFICKING," AND

"MODERN SLAVERY" ARE UMBRELLA TERMS – OFTEN USED

INTERCHANGEABLY – TO REFER TO A CRIME WHEREBY

TRAFFICKERS EXPLOIT AND PROFIT AT THE EXPENSE OF

ADULTS OR CHILDREN BY COMPELLING THEM TO PERFORM

LABOR OR ENGAGE IN COMMERCIAL SEX.

INDIVIDUALS UNDER THE AGE OF 18 ARE CONSIDERED TO BE SURVIVORS OF SEX TRAFFICKING, REGARDLESS OF THE USE OF FORCE, FRAUD, OR COERCION.

TEXT QUESTIONS TO 720.335.5686




Induce | Recruits | Harbors | Transports | Provides | Obtains | Solicits

Force | Fraud | Coercion

Commercial Sex | Labor







PROSTITUTION VS. SEX TRAFFICKING

Prostitution

No Force, Fraud, or Coercion

&

18 +

Is not dependent on another person to further their commercial sex activities.

Sex Trafficking

Force, Fraud, or Coercion

OR

< 18

Is dependent on another person to further their commercial sex activities.



Sex Trafficking in America

Sex trafficking is the second - largest criminal industry in the country and affects every age, gender, race, and social class. We need to come together to fight this horrible injustice.



Hundreds of thousands of children are trafficked each year in the U.S.



Trafficking reporting has increased by over 40% during COVID-19.



The average age a person is first trafficked is 12 years old.



40% of child sex trafficking survivors are sold by a family member.





Only 1% of sex trafficking survivors in the U.S. are ever identified.


• •

COUNTER TRAFFICKING DATA COLLABORATIVE









Transgender: .2%

60% of sex trafficked males were minors.

Dates: 2015-2019

Country of Exploitation: United States

Total Number: 56,172



Abuse



Physical



Emotional



Neglect



Physical



Household Dysfunction



Mental Illness



Incarcerated Relative



Mother Treated Violently



Substance Abuse



Divorce





BOYFRIENDING



FAMILIAL TRAFFICKING



"GUERILLA TRAFFICKING



SURVIVAL SEX



SEXTORTION



CEO PIMP

HOW ARE PEOPLE SEX TRAFFICKED IN AMERICA?

A\$99 BШОNDULAR INUSTRYFUEDBY:

- FAMILY
- FRIENDS
- CARE TAKERS
- PEERS
- SIGNIFICANT OTHERS
- OTHER



INTIMATE PARTNER VIOLENCE

SEXUAL ASSAULT

DOMESTIC VIOLENCE

CHILDHOOD SEXUAL
ABUSE



INTIMATE PARTNER VIOLENCE

PHYSICAL, SEXUAL, OR PSYCHOLOGICAL
ABUSE OF A PERSON BY THEIR PARTNER
OR SPOUSE.

- Agitated or visibly upset
- Always checking in with their partner
- Excessively worried about pleasing their partner
- Nervous or scared around their partner
- Injuries like black eyes, bruises, cuts, wounds, broken teeth, or fractured bones
- Excuses for their injuries such as "I fell," or "I bumped into the door"



INTIMATE PARTNER VIOLENCE

PARTNER A IS PROFITING OFF OF THE COMMERCIAL SEX WORK OF PARTNER B AND THERE IS AN ELEMENT OF FORCE FRAUD OR COERCION OR PARTNER B IS

UNDER 18 YEARS OLD

SEX TRAFFICKING

- Evidence of Financial Exploitation
- Evidence of Deceptive Recruitment or Manipulation
- Evidence of Commercial Exploitation
- Inconsistent or Implausible Stories



VIOLENT OR AGGRESSIVE BEHAVIOR WITHIN THE HOME. PERPETRATOR COULD BE PARTNER/SPOUSE BUT COULD ALSO BE PARENT, SIBLING, OTHER DOMESTIC REALTIONSHIP

- Visible Physical Injuries
- Injuries Inconsistent with Explanation
- Fear or Avoidance of a Specific Family Member
- Emotional or Psychological Distress
- Reluctance to Share Information





FAMILY MEMBER A IS PROFITING OFF OF THE COMMERCIAL SEX WORK OF FAMILY MEMBER B AND THERE IS AN ELEMENT OF FORCE FRAUD OR COERCION OR FAMILY MEMBER B IS UNDER 18 YEARS OLD



- Power Imbalance and Control
 Dynamics
- Lack of Personal Agency and Decision -Making Power
- Isolation from Support Systems
- Control Over Victim's Movements and Communication



- Unexplained physical injuries or trauma.
- Torn or disheveled clothing
- Emotional Distress

SEXUAL ASSAULT

SEXUAL ASSAULT IS AN ACT IN WHICH ONE INTENTIONALLY SEXUALLY TOUCHES
ANOTHER PERSON WITHOUT THAT PERSON'S CONSENT, OR COERCES OR
PHYSICALLY FORCES A PERSON TO ENGAGE IN A SEXUAL ACT AGAINST THEIR
WILL.



- Multiple Victims Present
- Evidence of Exploitative Practices
- Signs of Travel or Movement
- Presence of a Controller or Pimp
- Limited Autonomy and Financial Control.
- Lack of Personal Belongings or Identification
- Inability to Communicate Freely
- Limited or No Disclosure of Assault
- Minors: Evidence of Exchange or Transaction

SEX TRAFFICKING

SEXUAL ASSAULT

VICTIMS ARE OFTEN SUBJECTED TO REPEATED SEXUAL ASSAULTS BY TRAFFICKERS, BUYERS, OR OTHER PARTIES INVOLVED IN THE TRAFFICKING OPERATION.



CHILDHOOD SEXUAL ABUSE REFERS TO ANY SEXUAL ACTIVITY OR BEHAVIOR IMPOSED ON A CHILD BY AN OLDER OR MORE POWERFUL INDIVIDUAL

- Behavioral Changes and Regression
- Sexually Explicit Knowledge or Behaviors
- Avoidance of Specific Individuals or Settings
- Physical Signs or Symptoms
- Signs of Emotional Distress or Trauma





SEXUALABUSE STATS

- 4 times more likely to develop symptoms of drug abuse
- 4 times more likely to experience PTSD as adults
- 3 times more likely to experience a major depressive episode as adults



SOME ABUSERS WILL GIVE THEIR VICTIMS ITEMS OF VALUE IN EXCHANGE FOR CONTINUING TO HIDE THE ABUSE AND COOPERATE WITH THEIR DEMANDS.

OTHERS ARE ABUSING THE CHILDREN WHILE PROFITING OFF OF ALLOWING OTHERS TO ABUSE THE CHILD AS WELL.

SEX TRAFFICKING

- Multiple Perpetrators or Locations
- Presence of a Controlling Adult or Exploiter
- Frequent Relocations or Travel
- Fear, Dependency, or Reluctance to Seek Help
- Repeated or Prolonged Absences

ABUSE



CHILD SEXUAL ABUSE AND FAMILIAL TRAFFICKING


Let's hear Hope's story.



INDICATORS IN HOPE'S STORY:

- Dissociation
- Physical Abuse
- Uncomfortable around the adult they are with
- Fearful of being touched
- Out of school at an odd time of day





VULNERABILITY OF INDIVIDUALS WITH DISABILITIES

DeeDee's story.



• THE SIGNS

- Individual with disabilities or mental illness
- Unable to speak for themselves
- Not in control of their own care
- Pulled out of school regularly
- Frequent visits in hospitals
- Physical and emotional trauma
- Why Traffickers Target People with Disabilities
 - Rely heavily on others for help
 - Sheltered or isolated
 - Social discrimination
 - Access to SSI or SSDI benefits
 - Desensitized to touch
 - Communication or speech issues



Behavior



Lack of Physical Activity



Smoking



Alcoholism



Drug Use



Missed Work

Physical & Mental Health



Severe Obesity



Heart Disease



Diabetes



Cancer



Depression




Stroke



Suicide Attempts



COPD



STDs



Broken Bones



IDENTIFYING TRAFFICKING VICTIMS IN YOUR PARTICULAR AREAS OF SERVICES



Law Enforcement



Social Workers



Teachers



Therapists & Counselors



Healthcare Professionals



Hospital Staff




Hotel & Hospitality Workers



Transportation & Travel
Professionals



A survivor has on average 10.5 Psychological Challenges or Disorders






DISSOCIATION


There are multiple types of dissociation, including normal dissociation that is non-disordered. The types of dissociative disorders include:

- Dissociative amnesia
- Derealization/Depersonalization
- Dissociative Identity Disorder (DID)
- Otherwise Specified Dissociative Disorder (OSDD)
- Post Traumatic Stress Disorder Dissociative Subtype (PTSD-DS)

Dissociative disorders are characterized as a disruption in the usually integrated functions of consciousness, memory, identity, or perception.



SUBSTANCE USE DISORDER




- Many survivors develop substance use disorders either from being coerced into drug use by their traffickers or by turning to substance abuse to help cope with or mentally escape their desperate situations.
- 84% of sex trafficking survivors reporting substance abuse during their victimizations
- One-third of trafficking survivors reported their drug use being used to exploit them
- 45.08% of Survivors who call the hotline Acknowledge Active Drug Use




15 %

EFFECTS OF TRAUMA ON THE BRAIN



COPING STRATEGIES - EXTERNALIZING

- Cutting
- Violence
- Sex
- Over/under eating
- Not sleeping
- Avoiding friends or family
- Manipulating others
- Driving recklessly
- Denial
- Self-sabotage
- Blaming others



TRAUMA-INFORMED APPROACH



TRAUMA-INFORMED APPROACH

- Safety
- Trustworthiness/Transparency
- Peer Support and Mutual Self -Help
- Collaboration and Mutuality
- Empowerment
- Voice
- Choice and Considerations for Cultural, Historical and Gender Issues

CONSIDERATIONS

- Watch your tone.
- Use everyday language.
- Let them speak.
- Pay attention to body language.
- Translator
- Record observations.



Isaw many of the workers sense something was wrong, Isaw them wrestle with what to do...Healthcare workers who are equipped to identify trafficking and familiar with how to respond have the opportunity to save lives." - Sarah, Survivor

H.O.P.E. TRAINING

HEALTHCARE WORKERS ARE VITAL PARTNERS IN COMBATING TRAFFICKING

The H.O.P.E. (Healthcare Observations for the Prevention & Eradication of Human Trafficking) Training is a survivor-informed, trauma-informed, and patient-centered video-based training that equips all healthcare workers to identify potential human trafficking victims, give support, and offer resources.




POST TRAINING SURVEY



www.SafeHouseProject.org





SAFE HOUSE PROJECT

www.SafeHouseProject.org

References

- Jessica Vera PhD, 2016
- Samantha Parma-Vera, 2016
- Luxenberg, Spinazzola, & Van der Kolk, 2001
- Emily Waters LMSW PhD, 2016
- Finkelhor, 2008
- Dan Seigel
- Van der Kolk
- Nelson Mandela
- Judith Herman
- McAuley
- Rebecca Bender
- Spinazzola et al., 2014
- Siegel, 2012
- ICD-10 criteria for PTSD (F43.1)
- DSM V

- Tedeschi & Calhoun, 2004
- Caplan, 1964
- Frankl, 1963
- Maslow, 1970
- Yalom and Lieberman, 1991
- Quarantelli, 1985
- Tedeschi, 1999
- Egeland, Carlson, & Sroufe, 1993
- Luthar et al., 2000
- Masten, 2001
- Masten & Coatsworth, 1995
- Cicchetti & Garmezy, 1993
- Pavenstedt, 1965
- WHO, 1992
- APA, 2000;2013
- Dan Sartor PhD, 2015
- https://www.verywellmind.com/intimate-partner-violence-types-signscauses-and-impact-5324420